



HANCO HI-LIGHTS



"Dedicated to bringing you the best service in the industry"

Since 1928

September-October 2026 Edition

www.hancousa.com

Prices Expire October 31st, 2026

HANCO is closed Monday, September 7th for Labor Day




**Specialty
Products
Company**

**SPC
PERFORMANCE**



**The World Leader
in Alignment Parts,
Tools & Education**



Extra Heavy Duty Radial Inner Tubes

Part No.	Description	Weight
TUB592XHD	18.4R30, 420/70R30	17.05 lbs
TUB593XHD	30.5LR32, 800/65R32	40.00 lbs
TUB594XHD	16.9R34, 18.4R34	21.05 lbs
TUB597XHD	18.4R38, 480/80R38, 520/75R38	22.20 lbs
TUB599XHD	20.8R42, 580/70R42, 620/70R42, 650/65R42, 18.4R42	31.33 lbs

ASC451-64005 \$194.93

5 gallon Ascot Highway (High Speed)

Tire Sealant -35° to 270°

Pallet Qty 36 @ \$165.69 each

MLTZE240 \$99.00

Pump for tire sealant fits 5 or 6 gal pails

ASC451-64015 \$159.96

5 gallon Ascot OTR (Low Speed)

Tire Sealant -4° to 225°

Pallet Qty 36 @ \$135.97 each



O-Rings / L-Rings

O-rings bags of 2 / L-rings by each

Arctic O-Rings

available in certain
sizes



Flaps

8" to 28" in various widths sold by each

Recently added to our Delta First family of products

• **Delta First Wheel Saver Plus Tire Conditioner**

• Freeze Protection -22° F

• Makes dismounting Easy

• Saves casings

• Cools tires up to 15° F

• Environmentally friendly

• No fibers; clear, green fluid

• Increases life and tread of the tire



• 5 gallon pail container

• Prevents downtime for increased productivity

• Eliminates rust on rims

• Will not block valve stems

• Easily washes out with water

• Prevents rust on wheels

• Specifically designed for large tires on heavy-duty equipment

• Keeps larger tires functioning in cooler temperatures

**DEL723-5
\$98.13**

Check out the rest of the products from Delta First

DEL605G 2 pack of 2.5 gallon Sealitup high speed

DEL502-5 5 gallon Sealitup heavy duty tire sealant 15

DEL603R-5 5 gallon Sealitup heavy duty cold weather -25

DELLTBAG 20 oz. bag Liquid tire balance



Gaither
PROFESSIONAL EQUIPMENT

- Experience the next generation of wheel and tire handling with the Winntec Wheel Lift NXT
- Fast lifting
- No hoses or wires
- Floor to shoulder height
- Precise positioning
- Minimal footprint
- **Powered by a user-supplied cordless drill**
- Lifting Capacity: 154lbs Max Lifting Height: 54in

GTCY472280
\$1,306.95



Only 3
Available

CBSTJ110W
\$2,777.59

11 ton TSI tractor jack with wheels


- **Fall Promotion**
- **Limited to Quantities on Hand!**



1" Yamada
Wonder Pump
Double diaphragm
pump complete pkg
AME15103
\$1,213.00



CBS16219	52" Extension	\$245.00
CBS258790	Jack Plate	\$253.96



Part No.	Description	Price
DILVS-902-WZPL	Long Plug .625" 1.113" length	\$4.65
MVH0400	Rubber Rim Hole Plug	\$1.48



Part No.	Description	Price
DIL3107	Calcium Chloride Adapter Gun	\$81.62
HAL310	Calcium Chloride Adapter Gun	\$116.10



HALN-1000
\$8.55

←← 13/16" Base



MVHTV6008N

Low profile valve nickel plated
fits .625 valve hole

\$2.28


MVHTV6008B

Low profile valve brass finish
fits .453 or .625 valve hole

\$2.08



Tubeless Air Water



Part No.	Description	Price
MVH621A	65° B = 3"	\$3.98
MVH622A	90° B = 4 1/2"	\$14.22
MVH623A	65° B = 2 1/2"	\$11.74



Part No.	Description	Price
MVH618A	1-7/8"	\$2.26
MVH618AS	1-7/8" S Steel	\$8.20
MVH618ARB	1-7/8" Snap-in	\$2.76
MVH618B	1-1/4" Short	\$5.49

END OF SEASON SALE****Limited to Quantities on Hand****

A/C Machines & Accesories

**Up to
a 15%
Savings**

*limited to quantities on hand

- MSSPAG100 PAG 100 oil for A/C Systems 8oz Cartridge
- MSSPAG46 PAG 46 oil for A/C Systems 8oz Cartridge
- MSSPOE UView POE (Hybrid) oil for A/C Systems 4oz
- MSS0268078500 Dust Cover for all Mahle AC2XXX Series A/C Units
- MSS0268063500 LD-2 UV Leak Detector for A/C Systems
- MSS0268070700 R1234yf A/C Lubricant and Dye Injector Kit
- MSS0228018100 IDX Identifier R1234YF O2 Sensor Only
- MSS0228017400 Neutronics Identifier R1234YF O2 Sensor Only
- MSSACX2150 R134a Refrigerant A/C Machine
- MSSACX2250 R1234yf Refrigerant A/C Machine

Part No.	Description	Price
IRTPROMO	285B-6 1" with 327LS Buffer and 5 Piece Deep Socket Truck Service Set	\$634.35
TPT469-60060	60 MX1 Sensors and ITS600 Maxi TPMS diagnostic tool	\$1,025.00
TPT469-60080	80 MX1 Sensors and ITS600 Maxi TPMS diagnostic tool + PROUPGRADE	\$1,369.00
TPT469-90140	140 Ascot by Autel MX1 Sensor and TS900 Maxi TPMS diagnostic tablet	\$2,135.00
Bundle-Rooski		
TPT600PROMO	RITE-SENSOR case of 120 & Bartec Tech600PRO	\$2,250.00
TPT600PRO-RS30P	Bartec 600PRO TPMS tool kit w/ OBD and 30 Rite Sensors	\$1,296.53
TPT21298	Schrader EZ Sensor + Tool Bundle Tool + 24 EZ Sensors	\$637.38
TPTHAM-B057	50 U-Pro Hybrid Sensors NFC w/ H47 TPMS Tool	\$950.00
TPTHAM-B065	150 U-Pro Hybrid Sensors NFC w/ H47 TPMS Tool	\$2,887.50

LIMITED
QUANTITIES

ASC23120
\$149.98

CP8323 Kit is
delivered with
2 x 14.4V
Batteries &
Charger



CPT8323KNA
\$302.46



IRT231HA-2
\$180.99



1/2" Drive SAE & Metric Deep
Length Thin Wall Flip 4 Piece Set
SKT1504FW
\$33.45



3/8" Drive Standard/Deep Length 6
Point 59 Piece Duo Socket Set
SKT81659CRD
\$240.29



4 pc. Centrifugal Power Socket Set
1/2" Drive 17mm, 19mm, 21mm sockets
& interchangeable disc
SKT163-00440
\$94.85

Ken-Tool®
WHEREVER TIRES ARE CHANGED™



Ascot 10 pc Wheel Stud Alignment Set
contains 2 each

- M12 X 1.25
- M12 X 1.5
- M12 X 1.75
- M14 X 1.25
- M14 X 1.5

• Color coded & stamped
ASC491-19010
\$66.48



1/2" Drive SAE Deep 6 Point Duo Socket 22 piece set w/case

SKT82622D
\$280.55



Cap: 22 Ton
Min Hght: 9"
Max Hght: 18"
Ext Screw: 4.25"

NOR72200D
\$920.46



Part No.	Description	Price	Part No.	Description	Price	Part No.	Description	Price
CYC16-ATC	11 oz	\$8.13	CYCC-10	13 oz	\$6.75	BRKM705	14 oz	\$3.95
CYC16-ATL	16 oz	\$5.67	AYD87A	14 oz	\$4.41	BRKM710	14 oz	\$3.69
CYC16-PB	11 oz	\$8.03	CYCC-331	19 oz	\$3.19	AYD754	12 oz	\$14.75
CYC16-TDL	9.3 oz	\$7.21	MURF8.0710	11 oz	\$8.25	KILFROST	16 oz	\$8.72



HANCO CORPORATION
2855 EAGANDALE BOULEVARD
EAGAN, MN 55121
Phone: 651-456-5600 Toll Free 800-328-7400
Fax: 651-456-9709 Toll Free 800-328-7401
www.hancousa.com



"Like" us on facebook



Subscribe to Hanco Hub email list

- ◇ Product specials
- ◇ Tech Tips
- ◇ Holiday Closures
- ◇ New Products




Thank you for your Business!

We appreciate your feedback!



All prices are subject to change without notice

Hanco reserves the right to correct typographical errors

			IMAGE COMING SOON!	IMAGE COMING SOON!	
8x7 Steel Wheel Beige 4 on 4"	8x7 Steel Wheel Semi Gloss Black 4 on 4"	8x7 Steel Wheel Silver Grey 4 on 4"	8x7 Steel Wheel Grey 4 on 4"	8x7 Steel Wheel Semi Gloss Black 4 on 4" 23mm offset	10x7 Steel Wheel Matte Black 4 on 4" 21mm offset
WHL7902	WHL7903	WHL7904	WHL7905	WHL7906	WHL7910
		RPG GOLF Wheels & Tires by 			
10x7 Steel Wheel Semi Gloss Black 4 on 4" 21mm offset	10x8 Steel Wheel Semi Gloss Black 4 on 4" 1" offset				
WHL7911	WHL7912	Part No. Description	Part No. Description	Part No. Description	
	12x7 Steel Wheel Spoke Semi Gloss Black 4 on 4"	WHL7935 Nitro 14x7 Gloss Black 18mm offset 4 on 4"	WHL7950 Recon 14x7 Gloss Black 18mm offset 4 on 4"	WHL7960 Warrior 14x7 Black Machine 18mm offset 4 on 4"	
WHL7920					
Part No. Description					
Lug Nut 1/2" X 20					
WHP491-11013 Chrome Bulge Acorn 3/4"					
WHP491-11023 Black 6-Spline					
Lug Nut M12 X 1.5					
WHP491-11015 Chrome Bulge Acorn 3/4"					
WHP491-11025 3/4" Hex Black Acorn					
WHP491-11026 Black 6-Spline					
WHP491-11032 6-Spline Adapter					
	Center Cap with Red RPG Logo WHL7900				
		IMAGE COMING SOON!			
Part No. Description	Part No. Description	Part No. Description	Part No. Description	Part No. Description	Part No. Description
TIR8704 205/55R10 DI5012 Eclipse Radial	LRB 640 lbs@ 22 psi Max Spd 35 mph	TIR8706 215/50R12 DI5012 Eclipse Radial	LRB 760 lbs@ 22 psi Max Spd 35 mph		
					
Part No. Description	Part No. Description	Part No. Description	Part No. Description		
TIR8710 215/35R14 Eclipse Radial	LRB 660 lbs@ 22 psi Max Spd 35 mph	TIR8715 255/45R14 Eclipse Steel Belted Radial	LRB 990 lbs@ 22 psi Max Spd 35 mph	TIR8729 23x10R14 Exodus Steel Belted Radial	LRC 1235 lbs@ 32 psi Max Spd 38 mph

Select Trailer Tires Mounted on Wheels

Part No.	Description
TWA19010/7500X	4.80-8 LRC Deestone D901 8x3.75 4 on 4 white steel wheel
TWA19010/7510X	4.80-8 LRC Deestone D901 8x3.75 5 on 4.5 white steel wheel
TWA19055/7610X	4.80-12 LRC Deestone D901 12x4 5 on 4.5 spoked white steel wheel with pinstripes
TWA19065/7610X	5.30-12 LRC Deestone D901 12x4 5 on 4.5 spoked white steel wheel with pinstripes
TWA19925/7651X	ST205/75R14 LRD Omni Trail Capability STR 14x5.5 5 on 4.5 modular white steel wheel with pinstripes
TWA19950/7662X	ST205/75R15 LRD Omni Trail Capability STR 15x5 5 on 4.5 spoked white steel wheel with pinstripes
TWA19950/7670BLK	ST205/75R15 LRD Omni Trail Capability STR 15x6 5 on 4.5 spoked black steel wheel
TWA19950/7670X	ST205/75R15 LRD Omni Trail Capability STR 15x6 5 on 4.5 spoked white steel wheel with pinstripes
TWA19970/7670BLK	ST225/75R15 LRE Omni Trail Capability STR 15x6 5 on 4.5 spoked black steel wheel
TWA19970/7670X	ST225/75R15 LRE Omni Trail Capability STR 15x6 5 on 4.5 spoked white steel wheel with pinstripes
TWA19970/7680X	ST225/75R15 LRE Omni Trail Capability STR 15x6 6 on 5.5 spoked white steel wheel with pinstripes



Images
left to
right for
top to
bottom
pn's

Select Golf Cart Tires Mounted on Wheels



Part No.	Description
TWA3355/7570X	205/50-10 4ply Tour Max Carlstar 10x6 4 on 4 white steel wheel
TWA454375/7570X	205/50-10 4ply Pro Tour Kenda K399 10x6 4 on 4 white steel wheel
TWA454475/7570X	205/50R10 4ply Pro Tour Kenda K399 10x6 4 on 4 white steel wheel
TWA8704/7570X	205/55R10 DI5012 Eclipse Radial Duro 10x6 4 on 4 white steel wheel
TWA3218D/7540X	18x8.50-8 4ply Greensaver Golf Cart 8x7 4 on 4 white steel wheel
TWA3218I/7540X	18x8.50-8 4ply golf cart Deestone D270 8x7 4 on 4 white steel wheel
TWA3315/7540X	18x8.50-8 4ply Links Carlstar 8x7 4 on 4 white steel wheel
TWA3351/7540X	18x8.50-8 4ply Fairway Pro Carlstar 8x7 4 on 4 white steel wheel
TWA426400/7540X	18x8.50-8 4ply Hole-N-1 Kenda K389 8x7 4 on 4 white steel wheel

Call / Text (651.456.5600) or log in to website for price and availability

*Additional handling time may be required when ordered